

TONGXIANG GELIN TEXTILE CO.,LTD
NO.3852 EAST HUANCHENG RD, WUTONG INDUSTRIAL ZONE, TONGXIANG, ZHEJIANG

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : A PIECE OF VELVET FABRIC NAMED D006 IN LT, GRAY OF 70% COTTON
30% POLYESTER FOR UPHOLSTERY USE
Style No. : D006
Composition : 70% COTTON 30% POLYESTER
Color : LT GRAY
End Use : FOR UPHOLSTERY
Country of Origin : China


Proposed Care Instruction : 

Test Performed : Selected test(s) as requested by applicant
* * * * *

Sample Receiving Date : Aug 09, 2019
Testing Period : Aug 12, 2019 - Aug 15, 2019

Test Result(s) : Unless otherwise stated the results shown in this test report refer only to the
sample(s) tested. For further details, please refer to the following page(s).

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co. Ltd



Hattie Chen
Account Executive



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. 3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
Testing Center: 18736835102 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com

Test Result

Dimensional Stability To Drycleaning

(ISO 3759:2011/ISO 3175-2:2017: Normal materials)

After 1 dryclean

Lengthwise (%)	-0.9
Widthwise (%)	-1.0

Remarks: (+) Means extension (-) Means shrinkage

Colour Fastness To Drycleaning

(ISO 105-D01:2010)

Change in shade	4-5
Staining on multi-fiber stripe	
Acetate	4-5
Cotton	4-5
Nylon	4-5
Polyester	4-5
Acrylic	4-5
Wool	4-5

Remark: Grey Scale rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good

Colour Fastness To Rubbing

(ISO 105-X12:2016; Size of rubbing finger: 19×25.4mm)

Dry staining	4-5
Wet staining	4-5

Remark: Grey Scale rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good

Colour Fastness To Light

(ISO 105-B02:2014; use Xenon arc lamp, exposure cycle A1, no flip-flop mode was used)

Comparison upto blue wool reference 4 Grade (B.W.S)	4
---	---

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgs.com.cn
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com



Appearance After Drycleaning

(In House Method; SL-TM-DIM-001; Drycleaning procedure same as dimensional stability test)

After 1 dryclean

Observation on drycleaned sample

- 1. Colour change : 4-5
 - 2. Shedding : Negligible change
- General appearance of drycleaned sample is satisfactory.

Remarks: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Pilling Resistance

(ISO 12945-1:2000; 18000 revolutions in ICI pilling tester for 5 hours.)

As received

Rating 4-5

Remarks: Pilling Rating

- 5 No change
- 4 Slight surface fuzzing and/or partially formed pills
- 3 Moderate surface fuzzing and/or moderate pilling .Pills of varying size and density partially covering the specimen
- 2 Distinct fuzzing and/or distinct pilling.Pills of varying size and density covering a large proportion of the specimen surface
- 1 Dense surface and/or severe pilling. Pills of varying size and density covering the whole of the specimen surface

Abrasion Resistance

(ISO 12947-2:2016; Martindale Wear & Abrasion Tester; 12 kPaPressure)

The Quoted Result (rubs) >30000

Free Formaldehyde Content

Test Method: According to ISO 14184-1:2011 – Textile – Determination of Formaldehyde Part 1: Free and hydrolyzed formaldehyde (water extraction method). Analysis was performed by UV/VIS spectrophotometer.

Result
(mg/kg)

Formaldehyde

ND

Note: ND = Not Detected
1ppm =1 mg/kg
Detection limit = 16 mg/kg

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Azo Dyes

Test Method:

All Textile: According to EN 14362-1:2012 – Analysis was conducted with GC-MS/HPLC-DAD.

Amines	Result (mg/kg)	
	CAS No.	VELVET FABRIC
4-Aminobiphenyl	92-67-1	ND
Benzidine	92-87-5	ND
4-Chlor-o-toluidine	95-69-2	ND
2-Naphthylamine	91-59-8	ND
o-Aminoazotoluene	97-56-3	ND
5-nitro-o-toluidine / 2-Amino-4-nitrotoluene	99-55-8	ND
4-Chloroaniline	106-47-8	ND
4-methoxy-m-phenylenediamine / 2,4-Diaminoanisole	615-05-4	ND
4,4'-Diaminodiphenylmethane	101-77-9	ND
3,3'-Dichlorobenzidine	91-94-1	ND
3,3'-Dimethoxybenzidine	119-90-4	ND
3,3'-Dimethylbenzidine	119-93-7	ND
4,4'-methylenedi-o-toluidine / 3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	ND
p-Cresidine	120-71-8	ND
4,4'-Methylene-bis-(2-chloroaniline)	101-14-4	ND
4,4'-Oxydianiline	101-80-4	ND
4,4'-Thiodianiline	139-65-1	ND
o-Toluidine	95-53-4	ND
4-methyl-m-phenylenediamine / 2,4-Toluyldiamine	95-80-7	ND
2,4,5-Trimethylaniline	137-17-7	ND
4-aminoazobenzene	60-09-3	ND
O-Anisidine	90-04-0	ND
Conclusion		Pass

Note:

ND = Not Detected(<MDL)

MDL(Method Detection Limit)= 5 mg/kg (for individual compound)

Max Limit:
30 mg/kg
(for individual compound)

Whenever 4-aminodiphenyl (CAS number 92-67-1), 2-naphylamine (CAS number 91-59-8) and 4-methoxy-m-phenylene-diamine (CAS number 615-05-4) is found, the use of banned azo colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorants used.

In case polyurethane materials are used, e.g. PU foams and coatings and in prints, it cannot be ruled out that certain amines, e.g. 4,4'-methylene-dianiline (MDA, CAS number 101-77-9) and

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233

t (86-21) 61402666

f (86-21) 64958763

www.sgs.com

中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666

f (86-21) 64958763

sgs.china@sgs.com



2,4-toluylen-diamine (TDA, CAS number 95-80-7) are released from the PU component and not from a banned azo colorant.

In case of pigment prints care has to be taken that 4,4'-methylene-dianiline (MDA, CAS number 101-77-9) is not released from a source of banned azo colorants but from e.g. a chemical fixing agent.

The EN 14362-1:2012 method will enable further cleavage of 4-aminoazobenzene to non-forbidden amines: aniline and 1,4-phenylenediamine. If aniline and/or 1,4-phenylenediamine is not found (i.e. 5mg/kg) by mentioned test method, test result for 4-aminoazobenzene (CAS no. 60-09-3) is considered as "not detected" (i.e. <5mg/kg). Otherwise, the test method of EN 14362-3:2012 will be employed to verify the presence of 4-aminoazobenzene.

Max. limit specified by entry 43 of Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006

Material qualitative list

Fiber Type*	Material No.
Type A	/
Type B	/
Type C	VELVET FABRIC

* This fiber type identification is for the selection of azo dye testing procedure (i.e. EN 14362-1/3:2012).

Note:
 Type A = Textile contains natural fibers only and/or regenerated fibers exclude the group of acetate.
 Type B = Textile contains polyester fibers only
 Type C = Textile contains man-made fibers and/or man-made blended fibers (except polyester fibers)

Remark: Fiber Type is chosen based on client claimed fiber content.

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI (Shanghai) Inspection & Testing Services Co., Ltd. 3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
 Testing Center: 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com